# SAFETY DATA SHEET

#### **SECTION 1 - IDENTIFICATION**

Product name : CHERRY D'ODOUR NI

Product Use: : WATER-BASED DEODERANT

Restrictions on use: FOR INDUSTRIAL OR PROFESSIONAL USE ONLY

Company : SHARE CANADA

1691 CHURCH AVENUE WINNIPEG, MB R2X 2Y7 TELEPHONE: 1-800-665-7692

Emergency number : CANUTEC 1-613-966-6666

# **SECTION 2 - HAZARDS IDENTIFICATION**

Hazard classification:

Symbols:





Signal word: DANGER

Hazard statement(s): FLAMMABLE LIQUID AND VAPOUR. MAY CAUSE AN

ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE AN ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED.

Precautionary statements: KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES. AND OTHER IGNITION SOURCES. NO SMOKING. TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. KEEP CONTAINER TIGHTLY CLOSED. AVOID BREATHING MIST, SPRAY. WASH THOROUGHLY AFTER HANDLING. CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED OUT OF THE WORKPLACE. WEAR EYE PROTECTION, PROTECTIVE CLOTHING, PROTECTIVE GLOVES. STORE IN A WELL-VENTILATED PLACE. KEEP COOL. DISPOSE OF CONTENTS/CONTAINER TO COMPLY WITH LOCAL /REGIONAL/ NATIONAL/ INTERNATIONAL REGULATIONS.

#### **SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

CHEMICAL NAME		CAS REGISTRY NUM	BER CONCENTRATION
	Isopropanol	67-63-0	1 - 5 %
	Benzaldehyde	100-52-7	.1 – 1.0 %

### **SECTION 4 - FIRST AID MEASURES**

First-aid measures general : Call a poison control centre if you feel unwell

First-aid measures after

inhalation

Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms, call

a poison control centre or doctor.

First-aid measures after

skin contact

Rinse skin with water/ shower. Immediately take off

all contaminated clothing and wash it before re-use. If skin rash or irritation occurs, get medical advice /

First-aid measures after

eye contact

Rinse eyes with water as a precaution.

First-aid measures after

ingestion

Call a poison control centre or doctor if you feel

unwell.

Symptoms/injuries after

inhalation

: May cause an allergy or asthma symptoms or

breathing difficulties if inhaled.

Symptoms/injuries after skin

contact

May cause an allergic skin reaction.

Symptoms/injuries after eye

contact.

None under normal conditions.

Symptoms/injuries after eye :

contact

None under normal conditions.

# **SECTION 5 - FIRE FIGHTING MEASURES**

Suitable extinguishing media: Water spray, dry powder, foam, carbon dioxide.

Fire hazard: Flammable liquid and vapour.

Reactivity: Upon combustion, CO and CO2 are formed. Flammable liquid and vapour.

Firefighting instructions: Fight fire at a distance and from a safe location. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Stop leak if safe to do so. Stop release. Ventilate area.

General measures : Notify authorities if product enters sewers and public

waters. Absorb spillage to prevent material damage,

Protective equipment: Wear recommended protective equipment. Gloves,

Protective goggles. Protective clothing.

Emergency procedures: Evacuate unnecessary personnel. Avoid contact with

skin, eyes and clothing. Ventilate spillage area.

Protective equipment : Equip cleanup crew with proper protection. Do not

attempt to take action without suitable protective equipment. For further information refer to section 8 "exposure controls /personal protective equipment".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to

do so.

Environmental precautions

Avoid release to the environment. Prevent entry to

sewers and public waters.

Methods for cleaning up : Take up liquid spill onto absorbant material Notify

authorities if product enters sewers and public waters. Dispose of materials or solid residues at an

authorizes site.

### **SECTION 7 – HANDLING AND STORAGE**

Precautions for safe handling 
Not expected to present a significant hazard under

anticipated conditions of normal use. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames. and other ignition sources. No smoking. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use only non-sparking

tools. Wear personal protective equipment.

Hygiene measures Contaminated clothing should not be allowed out of

the workplace. Wash contaminated clothing before reuse. Do not eat, drink, or smoke when using the product. Always wash hands after handling the

.

Technical measures Ground / bond container and receiving equipment. .

Storage conditions Store in a well-ventilated place. Keep cool. Keep

container tightly closed. Always store product in container of same material as original container

# **SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

Control parameters:

Isopropanol

ACGIH OEL TLV 200 ppm ACGIH OEL STEL 400 ppm

Remark: TLV basis: Eye & URT irr, CNS impair. Notations; A4 (Not classifiable as a

human carcinogen.

OSHA PEL TWA: 980 mg/m<sup>3</sup>. OSHA PEL TWA: 400 ppm

Benzaldehyde: Not applicable.

Appropriate engineering controls: Ensure good ventilation of the workplace.

Personal protective equipment: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves, protective clothing, safety glasses.







Hand protection: Gloves

Skin and body protection: Wear suitable protective clothing.

Respiratory protection: In case of inadequate ventilation, wear respiratory protection.

Environmental exposure controls: Avoid release to the environment.

# **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : Liquid

Appearance : Clear to hazy .......

Odour : Cherry

Odour threshold : No

pH : 7

Freezing point No

Boiling point : No

Flash point : 63 ° C

Relative evaporation rate (butyl: No

Flammability (solid, gas) : No

Explosion limits : No

Explosive properties : No

Oxidizing properties : No

Vapour pressure : No

Relative density : No

Relative vapor density at 20 °C : No

Specific gravity / density : .99 g /

Solubility : Soluble

Log Pow : No data available

Log Kow : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Viscosity, kinematic : <20 cSt

Viscosity, dynamic : No data available

VOC content : < 4 %

# **SECTION 10 - STABILITY AND REACTIVITY**

**Reactivity:** Upon combustion CO and CO2 are formed.

**Incompatible materials**: No additional information available. **Stability:** Stable under normal conditions.

**Conditions to avoid:** Avoid contact with heat sources. Heat. No flames. No

sparks. Eliminate all sources of ignition.

Hazardous decomposition products: Under normal conditions of storage and use,

hazardous decomposition products should not be produced.

# **SECTION 11 - TOXICOLOGICAL INFORMATION**

Acute toxicity: Not classified.

Isopropanol (67-63-0)	opropanol (67-63-0)	
LD50 oral rat	5840 mg/kg body weight Equivalent or similar to OECD 401. Rat, experimental value. Oral 14 days.	
LD50 dermal rabbit	16400 mg/kg Equivalent or similar to OECD 402. Rabbit, experimental value. Dermal 14	
LC50 inhalation – Rat ppm	10000 ppm (Equivalent or similar to OECD 403 6 h Rat Male/ Female Experimental value. Inhalation (vapours) 14 days	
ATE CLP (oral)	5840 mg/kg bodyweight	
ATE CLP (dermal)	1640000 mg/kg bodyweight	
Benzaldehyde		
LD50 (oral rat)	1300 mg/kg bodyweight	
LD50 (dermal rabbit)	> 1250 mg/kg Source SIDS	
LD50 (inhalation rat	1 – 5 ml/L air Animal: Rat OECD Guideline 436 (Acute inhalation Toxicity: Acute Toxic Class Method)	

sopropanol (67-63-0)	
ATE CLP (oral)	500 mg/kg bodyweight

Skin corrosion/irritation: Not classified. pH 7 Serious eye damage/irritation: Not classified. pH 7.

Respiratory or skin sensitization: May cause allergy or asthma symptoms or

breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity: Not classified.

Carcinogenic: IARC group 3 - Not classifiable.

Reproductive toxicity: Not classified.

Specific target organ toxicity (single exposure): Not classified. Specific target organ toxicity (repeated exposure): Not classified.

Symptoms/injuries after inhalation: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Symptoms/injuries after skin contact: May cause an allergic skin reaction. Symptoms/injuries after eye contact: None under normal conditions. Symptoms/injuries after ingestion: None under normal conditions.

Likely routes of entry: Skin and eye contact, inhalation

# **SECTION 12 - ECOLOGICAL INFORMATION**

Ecology (General): No additional information available. Persistence and degradability: No additional information available. Bioaccumulation potential: No additional information available.

### **SECTION 13 – DISPOSAL CONSIDERATIONS**

Waste disposal recommendations: Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

### **SECTION 14 - TRANSPORT INFORMATION**

Transportation of Dangerous Goods (TDG). UN 1993 FLAMMABLE LIQUID, n.o.s. (isopropanol) Class 3 Packing Group III.

Not regulated for transport in containers under 5 L.

### **SECTION 15 - REGULATORY INFORMATION**

THE CLASSIFICATION, LABEL AND SDS COMPLIES WITH THE REQUIREMENTS OF WHMIS 2015

### **SECTION 16 - OTHER INFORMATION**

Information Sources: SUPPLIER'S SDS
Prepared by: SHARE CANADA
Telephone: 1-204-633-8553
Latest revision date: August 8, 2024