

SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product Identifier: **GRAFFITI WIPES**
Recommended Use: **PREMOISTENED WIPE**
Restrictions on Use: **INDUSTRIAL USE ONLY**
Supplier: **SHARE CANADA**
Address: **1691 CHURCH AVENUE, WINNIPEG, MANITOBA R2X 2Y7**
Telephone Number: (204) 633-8553 Fax: (204) 633-8453
Emergency telephone number: **CANUTEC: (613) 996-6666**

SECTION 2 - HAZARDS IDENTIFICATION

WHMIS hazard classification: **EYE DAMAGE 1 H318**

Hazard pictogram:



Signal word: **DANGER**
Hazard statement(s): **COMBUSTIBLE LIQUID. CAUSES SERIOUS EYE DAMAGE**
Precautionary statements: **KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING.**
WEAR EYE PROTECTION, PROTECTIVE CLOTHING, PROTECTIVE GLOVES.
IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO SO. CONTINUE RINSING. IMMEDIATELY CALL A DOCTOR.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS REGISTRY NUMBER	CONCENTRATION %
ETHYL LACTATE	97-64-3	15 – 30 %
DIMETHYL SUCCINATE	106-65-0	15 – 30 %
UNDECETH-5	34398-01-1	1 – 5 %
METHANOL	67-56-1	0.1 – 1 %

SECTION 4 – FIRST AID MEASURES

First-aid measures general: **IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE.**
First-aid measures after inhalation: **REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.**
First-aid measures after skin contact: **WASH SKIN WITH PLENTY OF WATER.**
First-aid measures after eye contact: **RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO SO. CONTINUE RINSING. CALL A PHYSICIAN IMMEDIATELY.**
First-aid measures after ingestion: **NONE UNDER NORMAL CONDITIONS.**
Most important symptoms and effects, both acute and delayed: **NOT EXPECTED TO PRESENT A SIGNIFICANT HAZARD UNDER ANTICIPATED CONDITIONS OF NORMAL USE.**
Symptoms / injuries after inhalation: **DUST OF THE PRODUCT, IF PRESENT, MAY CAUSE RESPIRATORY INHALATION AFTER EXCESSIVE INHALATION EXPOSURE. ALTHOUGH NO APPROPRIATE HUMAN OR ANIMAL HEALTH EFFECTS DATA ARE KNOWN TO EXIST, THIS MATERIAL IS EXPECTED TO BE AN INHALATION HAZARD.**
Product Identifier: **GRAFFITI WIPES**

Symptoms / injuries after skin contact: **CONTACT DURING A LONG PERIOD OF TIME MAY CAUSE**

Product Identifier: **GRAFFITI WIPES**

LIGHT IRRITATION. REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS OR CRACKING.

Symptoms / injuries after eye contact: SERIOUS DAMAGE TO EYES.

Symptoms / injuries after ingestion: NONE UNDER NORMAL CONDITIONS.

SECTION 5 – FIRE FIGHTING MEASURES

Suitable extinguishing media: WATER SPRAY, DRY POWDER, FOAM.

Unsuitable extinguishing media: DO NOT USE A HEAVY WATER STREAM.

Special hazards arising from the substance or mixture:

Fire hazard: COMBUSTIBLE LIQUID.

Reactivity: UPON COMBUSTION: CO AND CO2 ARE FORMED.

Advice for firefighters:

Firefighting instructions: FIGHT FIRE FROM A SAFE DISTANCE AND PROTECTED LOCATION. DO NOT ENTER FIRE AREA WITHOUT PROPER PROTECTIVE EQUIPMENT, INCLUDING RESPIRATORY PROTECTION.

Protection during firefighting: DO NOT TAKE ACTION WITHOUT SUITABLE PROTECTIVE EQUIPMENT. SELF-CONTAINED BREATHING APPARATUS. COMPLETE PROTECTIVE CLOTHING.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

General measures: NOTIFY AUTHORITIES IF PRODUCT ENTERS SEWERS OR PUBLIC WATERS. ABSORB SPILLAGE TO PREVENT MATERIAL DAMAGE.

For non-emergency personnel: WEAR RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT. VENTILATE SPILLAGE AREA. NO OPEN FLAMES, NO SPARKS AND NO SMOKING. AVOID CONTACT WITH SKIN AND EYES.

Protective equipment: PROTECTIVE GOGGLES, GLOVES, PROTECTIVE CLOTHING.

For emergency responders:

Protective equipment: DO NOT TAKE ACTION WITHOUT SUITABLE PROTECTIVE EQUIPMENT. FOR FURTHER INFORMATION SEE SECTION 8.

Emergency procedures: EVACUATE UNNECESSARY PERSONNEL.

For containment: USING A CLEAN SHOVEL, PUT THE MATERIAL INTO A DRY CONTAINER AND COVER WITHOUT COMPRESSING IT.

Methods for cleaning up: MECHANICALLY RECOVER THE PRODUCT. NOTIFY AUTHORITIES IF PRODUCT ENTERS SEWERS OR PUBLIC WATERS.

Disposal: DISPOSED OF OR SOLID RESIDUES AT AN AUTHORIZED SITE.

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling: NOT EXPECTED TO PRESENT A SIGNIFICANT HAZARD UNDER ANTICIPATED CONDITIONS OF NORMAL USE. ENSURE GOOD VENTILATION OF THE WORK STATION. KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. WEAR PERSONAL PROTECTIVE EQUIPMENT. AVOID CONTACT WITH A SKIN AND EYES.

Hygiene measures: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. ALWAYS WASH HANDS AFTER HANDLING THE PRODUCT.

Conditions for safe storage, including any incompatibilities:

Technical measures: KEEP IN A COOL, WELL-VENTILATED PLACE AWAY FROM HEAT.

Storage conditions: STORE IN A WELL-VENTILATED PLACE AWAY FROM HEAT.

Information on mixed storage: KEEP SUBSTANCES AWAY FROM STRONG ACIDS, STRONG BASES, OXIDIZING AGENTS.

Storage area: STORE PRODUCT IN ORIGINAL CONTAINER.

Product Identifier: GRAFFITI WIPES

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:

Methanol (67-56-1)

ACGIH	ACGIH OEL TWA	200 ppm
ACGIH	ACGIH OEL STEL	250 ppm
ACGIH	Remark (ACGIH)	TLV basis Headache, eye dam, dizziness, nausea Notations: Skin, BEI
OSHA	OSHA PEL TWA	260 mg/m ³
OSHA	OSHA PEL TWA	200 ppm

Dimethyl succinate (106-65-0)

Not applicable

Undeceth-5 (34398-01-1)

Not applicable

Ethyl Lactate (97-64-3)

Not applicable

Exposure controls: ENSURE GOOD VENTILATION OF THE WORK STATION.

Personal protective equipment: USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT WHEN RISK ASSESSMENT INDICATES THIS IS NECESSARY. SAFETY GLASSES, GLOVES. PROTECTIVE CLOTHING.



Hand protection: PROTECTIVE GLOVES

Eye protection: SAFETY GLASSES

Skin and body protection: WEAR SUITABLE PROTECTIVE CLOTHING

Respiratory protection: IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT.

Environmental exposure controls: AVOID RELEASE TO THE ENVIRONMENT.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	SOLID
Colour and appearance:	PREMOISTENED WIPE
Odour:	MILDLY AROMATIC
Odour threshold:	NO DATA AVAILABLE
pH:	NO DATA AVAILABLE
Melting point:	NO DATA AVAILABLE
Freezing point:	NO DATA AVAILABLE
Boiling point:	NO DATA AVAILABLE
Flash point:	73 C. CLOSED CUP – TESTED USING THE LIQUID COMPONENT OF THE TOWELETTE.
Relative evaporation rate (butyl acetate = 1)	NO DATA AVAILABLE
Flammability (solid, gas):	NO DATA AVAILABLE
Explosive properties:	NO DATA AVAILABLE
Oxidizing properties:	NO DATA AVAILABLE
Vapour pressure:	NO DATA AVAILABLE
Relative density:	NO DATA AVAILABLE
Relative vapour density at 20 °C:	NO DATA AVAILABLE
Specific gravity /density:	1.03 g/ml -TESTED USING THE LIQUID COMPONENT OF THE TOWELETTE.

Product Identifier: GRAFFITI WIPES

Solubility: LIQUID COMPONENT IS SOLUBLE IN WATER
Log Pow: NO DATA AVAILABLE
Log Kow: NO DATA AVAILABLE
Auto-ignition temperature: NO DATA AVAILABLE
Decomposition temperature: NO DATA AVAILABLE

Viscosity: NO DATA AVAILABLE
Viscosity, kinematic: NO DATA AVAILABLE
Viscosity, dynamic: NO DATA AVAILABLE
VOC content. < 20 % -TESTED USING THE LIQUID COMPONENT OF THE TOWELETTE.

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: ON COMBUSTION: CARBON MONOXIDE, AND CARBON DIOXIDE ARE FORMED.
Chemical stability: STABLE UNDER NORMAL CONDITIONS.
Possibility of hazardous reactions: CARBON MONOXIDE, AND CARBON DIOXIDE ARE FORMED ON COMBUSTION.
Conditions to avoid: AVOID CONTACT WITH HOT SURFACES, HEAT, NO FLAMES. NO SPARKS. ELIMINATE ALL SOURCES OF IGNITION.
Incompatible materials: NO ADDITIONAL INFORMATION AVAILABLE.
Hazardous decomposition products: UNDER NORMAL CONDITIONS OF STORAGE AND USE, HAZARDOUS DECOMPOSITION PRODUCTS SHOULD NOT BE PRODUCED.

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute toxicity: NOT CLASSIFIED

METHANOL (67-56-1)

LD 50 (oral rat)

1187-2769 bodyweight BASF test Rat male/female Experimental value 15-35% aqueous solution

LD 50 (dermal rabbit)

17100 mg/m³ (Rabbit, inconclusive, insufficient data. Dermal)

LC 50 Inhalation rat

128.2 mg/L air (BASF test Rat male/female Experimental value Inhalation vapours 14 days

ATE CLP (oral) 100 mg/kg bodyweight

ATE CLP (dermal) 300 mg/kg bodyweight

ATE CLP (gases) 700 ppm v/4h

ATE CLP (vapours) 3 mg/L / 4h

ATE CLP (dust/mist) 0.5 mg/L 4 hour

DIMETHYL SUCCINATE 106-65-0

LD 50 (oral rat) 6892 mg/kg Oral / Rat (Experimental value)

LD 50 (dermal rat)

> 2000 mg/kg body weight Rat (Experimental value) OECD 402 Acute Dermal Toxicity

LD 50 (dermal / rabbit) < 5000 mg/kg

ATE CLP (oral) 6892 mg/kg body weight

UNDECETH-5 34398-01-1

LD 50 oral rat >1400 mg/kg body weight

LD 50 dermal rabbit >2000 mg/kg Source: Butch Company

ETHYL LACTATE 97-64-3

LD 50 (oral rat) 8200 mg/kg

LD 50 (dermal rabbit) > 5000 mg/kg

ATE CLP (oral) 8200 mg/kg body weight

Skin corrosion/irritation: NOT CLASSIFIED
Serious eye damage/irritation: CAUSES SERIOUS EYE DAMAGE.
Respiratory or skin sensitization: NOT CLASSIFIED
Germ cell mutagenicity: NOT CLASSIFIED
Carcinogenicity: NOT CLASSIFIED
Reproductive toxicity: NOT CLASSIFIED
Lactation: NOT CLASSIFIED

Product Identifier: GRAFFITI WIPES

Specific target organ toxicity (single exposure): NOT CLASSIFIED.
Specific target organ toxicity (repeated exposure): NOT CLASSIFIED
Product Identifier: GRAFFITI WIPES

Aspiration hazard: NOT CLASSIFIED
Symptoms / injuries after inhalation: DUST OF THE PRODUCT, IF PRESENT MAY CAUSE RESPIRATORY IRRITATION AFTER EXCESSIVE INHALATION. ALTHOUGH NO APPROPRIATE HUMAN OR ANIMAL HEALTH EFFECTS DATA ARE KNOWN TO EXIST, THIS MATERIAL IS EXPECTED TO BE AN INHALATION HAZARD.
Symptoms / injuries after skin contact: NONE UNDER NORMAL CONDITIONS. DUST MAY CAUSE IRRITATION IN SKIN FOLDS OR BY CONTACT IN COMBINATION WITH TIGHT CLOTHING. CONTACT DURING A LONG PERIOD MAY CAUSE LIGHT IRRITATION. REPEATED EXPOSURE MAY CAUSE SKIN DRYNESS OR CRACKING.
Symptoms / injuries after eye contact: SERIOUS DAMAGE TO EYES.
Symptoms /injuries after ingestion: NONE UNDER NORMAL CONDITIONS.
Likely routes of exposure: DERMAL

SECTION 12 - ECOLOGICAL INFORMATION

Ecology (General): NO ADDITIONAL INFORMATION AVAILABLE
Persistence and degradability: NO ADDITIONAL INFORMATION AVAILABLE
Bioaccumulation potential: NO ADDITIONAL INFORMATION AVAILABLE

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste disposal methods: DISPOSE IN ACCORDANCE WITH OFFICAL REGULATIONS. COMPLY WITH REGULATIONS FOR SOLID WASTE DISPOSAL. DO NOT REUSE EMPTY CONTAINERS.

SECTION 14 – TRANSPORT INFORMATION

T.D.G.: NOT REGULATED FOR TRANSPORT

SECTION 15 - REGULATORY INFORMATION

THE CLASSIFICATION, LABEL AND SDS COMPLIES WITH THE REQUIREMENTS OF WHMIS

SECTION 16 - OTHER INFORMATION

Information Sources: SUPPLIER'S SDS
Prepared by: SHARE CANADA
Telephone: 1-204-633-8553
Latest revision date: SEPTEMBER 12, 2024